

Spring 2013 Alcohol and Drug Survey Executive Summary

Survey administrators: Lori Klapperich, M.S., Laura Sherr , Ph.D., & John Adix, Psy.D.

Methodology:

| Survey Type | Population | Response (N) | Rate | Margin of Error | Confidence Level |
|--------------|------------|--------------|-------|-----------------|------------------|
| Web-based | | | | | |
| CSB | 1944 | 650 | 33.4% | 3.1 | 95% |
| SJU | 1760 | 390 | 22.2% | 4.4 | 95% |
| Total | 3704 | 1040 | 28.1% | 2.6 | 95% |

Demographics:

Year in school

| | |
|------------|-------|
| First-year | 24.9% |
| Sophomore | 26.9% |
| Junior | 24.8% |
| Senior | 22.3% |

Permanent Residence

| | |
|---------------|-------|
| U.S. | 97.6% |
| International | 2.4% |

Ethnic Origin

| | |
|---|-------|
| White | 86.6% |
| Black | 1.2% |
| Hispanic/Latino/a | 3.0% |
| Asian/Pacific Islander | 5.2% |
| American Indian/Alaskan or Hawaiian native | .3% |
| Biracial or multiracial | 1.9% |
| Other | .9% |

GPA

| | |
|---------------------------------|-------|
| Less than 2.0 | .4% |
| 2.0-2.49 | 2.7% |
| 2.5-2.99 | 15.8% |
| 3.0-3.49 | 38.1% |
| 3.5-4.0 | 41.1% |
| Don't know | .6% |
| None (1 st semester) | .2% |

Gender

| | | |
|--------|------------|-------|
| Female | 650 | 62.5% |
| Male | <u>390</u> | 37.5% |
| Total | 1040 | |

Current Residence

| | |
|---------------------------|-------|
| Total On-Campus | 87.9% |
| On-Campus Residence Hall | 57.0% |
| On-Campus Apartment | 28.0% |
| On-Campus House | 2.9% |
| Total Off-Campus | 9.4% |
| Off-Campus House (Rented) | 4.8% |
| Off-Campus Apartment | 3.5% |
| Live with Family | 1.0% |

Key Findings – Alcohol

Prevalence:

| | Annual (reported any use in the last year) | 30 day (reported any use in the last 30 days) |
|-------------------------|--|---|
| Total | 81.3% | 72.9% |
| Caucasian | 81.8% | 73.5% |
| SOC (Students of Color) | 76.2% | 66.2% |
| CSB | 80.3% | 71.4% |
| Caucasian | 81.5% | 72.4% |
| SOC | 71.8% | 63.5% |
| SJU | 82.8% | 75.1% |
| Caucasian | 82.6% | 75.6% |
| SOC | 84.4% | 71.1% |
| Underage | 73.1% | 61.8% |
| Of Age | 95.5% | 92.3% |

Average (mean) number of drinks per week for total and selected groups:

| | All Students | Caucasian | SOC | CSB | Caucasian | SOC | SJU | Caucasian | SOC |
|-----------------------|--------------|-----------|------|------|-----------|-----|------|-----------|------|
| General avg. per week | 4.70 | 4.8* | 3.8* | 3.44 | 3.4 | 3.6 | 6.85 | 7.2* | 4.1* |
| First-year students | 3.72 | | | 2.41 | | | 6.04 | | |
| Sophomores | 3.69 | | | 2.20 | | | 5.96 | | |
| Juniors | 5.55 | | | 4.66 | | | 6.89 | | |
| Seniors | 6.11 | | | 4.71 | | | 8.99 | | |
| Under-age students | 3.86 | | | 2.63 | | | 5.97 | | |
| 21+ students | 6.24 | | | 4.90 | | | 8.49 | | |
| GPA less than 2.0 | 4.50 | | | 1.50 | | | 7.50 | | |
| GPA 2.0-2.49 | 5.00 | | | 2.45 | | | 6.65 | | |

| | | | | | | | | | |
|------------------|------|--|--|------|--|--|-------|--|--|
| GPA 2.5-2.99 | 6.21 | | | 3.45 | | | 8.98 | | |
| GPA 3.0-3.49 | 4.95 | | | 3.90 | | | 6.59 | | |
| GPA 3.5 – 4.0 | 3.90 | | | 3.15 | | | 5.86 | | |
| Lives on-campus | 4.20 | | | 2.96 | | | 6.30 | | |
| Lives off-campus | 8.73 | | | 7.21 | | | 11.50 | | |

Average number of drinks per week:

| | <u>Percent</u> |
|--------------|----------------|
| 0 drinks | 35.4% |
| 1 drink | 6.3% |
| 2 drinks | 7.4% |
| 3 drinks | 6.8% |
| 4 drinks | 8.7% |
| 5 drinks | 4.7% |
| 6 drinks | 6.1% |
| 7-8 drinks | 5.8% |
| 9-10 drinks | 6.4% |
| 11-13 drinks | 1.8% |
| 14-15 drinks | 3.0% |
| 20+ drinks | 3.2% |

--Approximately 54.8% of first-year students do not drink at all during an average week.

Percentages of students reporting average drink consumption

Thursday-Saturday nights:

| # of drinks | Thursday | Friday | Saturday |
|-------------------------|----------|--------|----------|
| 0 drinks | 85.4% | 49.0% | 40.8% |
| 1-2 drinks | 6.3% | 14.3% | 12.4% |
| 3-4 drinks | 3.1% | 12.1% | 15.1% |
| 5-6 drinks | 2.9% | 11.7% | 15.8% |
| 7 or more drinks | 1.8% | 11.9% | 16.0% |

--Approximately 94.6% of first-year students do not drink at all on an average Thursday night.

Binge drinking (4+ drinks for women, 5+ for men per sitting/occasion) in past two weeks:

| | Women (%) | Men (%) |
|-----------|------------------|----------------|
| 0 Times | 52.4% | 49.5% |
| Once | 20.4% | 16.2% |
| Twice | 15.4% | 15.1% |
| 3-5 Times | 10.5% | 14.1% |
| 6-9 Times | .9% | 3.2% |
| 10+ Times | .3% | 1.9% |

--Approximately 48.6% of students reported engaging in binge drinking within the past two weeks (47.5% of CSB students and 50.5% of SJU students).

--Approximately 53.4% of Caucasian students (49.3% CSB, 60.2% SJU) and 43.8% of Students of Color (42.4% CSB, 46.7% SJU) reported engaging in binge drinking in the last two weeks

Greatest number of drinks consumed in one sitting during the past two weeks:

| | |
|-------------------|-------|
| Did not drink | 31.7% |
| 1-6 drinks | 42.4% |
| 7-9 drinks | 14.2% |
| 10 or more drinks | 11.6% |

--The average greatest number of drinks consumed in one sitting was 4.23 drinks (3.42 for CSB students and 5.61 for SJU students).

-- The average greatest number of drinks consumed in one sitting for Caucasian students is 4.3 drinks (3.4 for CSB and 5.8 for SJU) and for Students of Color is 3.5 drinks (3.1 for CSB and 4.3 for SJU).

Frequency of alcohol use in the past year:

| | <u>Percent</u> |
|------------------|----------------|
| Did not use | 19.3% |
| Once per year | 5.5% |
| Six times/year | 8.9% |
| Once per month | 6.6% |
| Twice per month | 16.0% |
| Once per week | 28.3% |
| Three times/week | 14.1% |
| Five times/week | 1.1% |

Frequency of alcohol use in the past month:

| | <u>Percent All Students</u> | <u>Percent Caucasian</u> | <u>Percent SOC</u> |
|-------------|-----------------------------|--------------------------|--------------------|
| Did not use | 27.1% | 26.5% | 33.8% |
| 1-2 days | 17.8% | 17.2% | 22.3% |
| 3-5 days | 25.3% | 25.6% | 23.8% |
| 6-9 days | 19.0% | 20.1% | 12.3% |
| 10-19 days | 6.4% | 6.8% | 3.8% |
| 20-29 days | 0.8% | 0.8% | 0.8% |

***There were several cases in which certain groups were found to have a statistically significant difference ($p < .05$), a difference statistically unlikely due to chance.**

Statistically significant differences in average number of drinks per week:

- SJU students reported drinking significantly more than CSB students in every category (class standing, GPA, under-age and 21+ students, on- and off-campus students)
- Non-Caucasian students reported a significantly smaller average number of drinks per week than Caucasian students (marked with *)
- The differences between Caucasian and non-Caucasian students in annual use, monthly use, binge drinking, and greatest number of drinks per sitting were all non-significant.
- Caucasian male students reported a significantly larger average number of drinks per week than non-Caucasian male students (marked with *)
- The differences between male and female non-Caucasian students in average number of drinks per week, use in last year, and greatest number of drinks per sitting were all non-significant.
- Juniors and Seniors reported drinking significantly more than First-Years and Sophomores per week. However, there was no significant difference between Juniors and Seniors or between First-Years and Sophomores.
- Those with a GPA of 2.5-2.99 reported drinking significantly more than those with a GPA of 3.5-4.0 per week. Some statistical tests suggested that those with a GPA of 3.0-3.49 also drank significantly more than those with a GPA of 3.5-4.0.

Percentages of students reporting change in alcohol consumption over the past year:

| | Decreased | Stayed the same | Increased |
|-------|--------------|-----------------|--------------|
| CSB | 16.8% | 37.3% | 23.7% |
| SJU | 19.7% | 37.0% | 23.0% |
| Total | 17.9% | 37.1% | 23.4% |

Alcohol Use History

| | Reported drinking alcohol prior to coming to college | Reported drinking alcohol for the first time in college |
|-------|--|---|
| CSB | 43.9% | 36.2% |
| SJU | 53.2% | 29.3% |
| Total | 47.3% | 33.6% |

Perceptions:

| | Perception | Reality |
|--------------------|---|---|
| | “Average” CSB student (as estimated by students) | Actual average CSB student (as averaged from actual responses) |
| Drinking frequency | 2.04 days/week* | 0.95 days/week* |
| Amount of drinking | 6.22 drinks/week* | 3.55 drinks/week* |
| | “Average” SJU student (as estimated by students) | Actual average SJU student (as averaged from actual responses) |
| Drinking frequency | 2.78 days/week* | 1.27 days/week* |
| Amount of drinking | 9.67 drinks/week* | 6.88 drinks/week* |

“An occasional drunk is okay as long as it does not interfere with academics or other responsibilities.”

| | Estimated percentage of students | Actual percentage |
|--|----------------------------------|-------------------|
| Moderately to strongly agree with statement | 89.2%* | 79.0%* |

“An occasional drunk is okay as long as it does not harm anyone.”

| | Estimated percentage of students | Actual percentage |
|--|----------------------------------|-------------------|
| Moderately to strongly agree with statement | 87.1%* | 71.6%* |

All of these comparisons were found to have a statistically significant difference ($p < .05$), a difference statistically unlikely due to chance. They were marked with an asterisk ().

Perceptions of Campus Environment:

| Statement | Percentage of students who endorse | | |
|---|------------------------------------|-------|-------|
| Alcohol is a central part of the social life of: | | | |
| SJU students | 81.9% | | |
| CSB students | 69.5% | | |
| Male athletes | 74.4% | | |
| Female athletes | 58.3% | | |
| Students on study abroad programs | 66.0% | | |
| Alumni | 39.5% | | |
| Social atmosphere promotes alcohol use | | | |
| At CSB | 66.0% said somewhat or yes | | |
| At SJU | 74.7% said somewhat or yes | | |
| CSB/SJU provides enough on-campus social activities on weekend nights | | CSB | SJU |
| | 70.4% | 73.3% | 65.5% |
| Attended a house party during the last school year | 65.5% | 61.0% | 73.6% |
| Never or rarely drink prior to attending an on-campus, weekend event at which alcohol will not be available | 62.9% | 66.0% | 57.6% |
| Students' alcohol use is problematic when riding the Link on weekend nights | 32.8% | 35.4% | 28.0% |
| If substance-free living arrangements were offered, would choose to live there | 16.1% | 17.7% | 13.2% |
| Have family members who have experienced alcohol and/or drug problems | 45.9% | | |

| Beliefs about alcohol use on-campus | About the same as other campuses | Greater than other campuses | Less than other campuses |
|-------------------------------------|----------------------------------|-----------------------------|--------------------------|
| CSB campus | 52.6% | 4.8% | 38.3% |
| SJU campus | 59.4% | 7.8% | 28.1% |

Negative consequences of drinking: (in order of frequency, during the past year)

Note that for smaller percentages, one Caucasian student counts for 0.3% of total Caucasian students and one student of color counts for ~0.8% of total students of color, so comparisons should be interpreted accordingly.

| | HAVE EXPERIENCED | | | | |
|--|------------------|-----------|-------|-------|-------|
| | All Students | Caucasian | SOC | CSB | SJU |
| Had a hangover | 57.6% | 59.4% | 46.2% | 57.4% | 59.0% |
| Got nauseated or vomited | 45.4% | 46.1% | 41.5% | 44.5% | 47.7% |
| Had a memory loss | 33.1% | 34.0% | 26.9% | 31.5% | 36.4% |
| Done something they later regretted | 33.0% | 33.4% | 30.8% | 32.8% | 34.1% |
| Had to have someone take care of them | 31.8% | 32.3% | 28.5% | 34.3% | 28.2% |
| Been criticized by someone they knew | 24.1% | 24.7% | 20.0% | 23.8% | 24.9% |
| Got into an argument or fight | 20.7% | 20.7% | 20.0% | 21.5% | 19.7% |
| Missed a class | 16.7% | 16.5% | 17.7% | 14.9% | 20.0% |
| Performed poorly on a test or important project | 15.8% | 15.7% | 16.2% | 15.4% | 16.7% |
| Been in trouble with police, res hall, etc. | 11.4% | 11.5% | 10.8% | 8.2% | 16.9% |
| Been hurt or injured | 11.2% | 11.4% | 10.0% | 9.8% | 13.6% |
| Have been taken advantage of sexually | 7.6% | 8.2% | 3.2% | 9.2% | 5.1% |
| Driven a car while under the influence | 7.3% | 7.8% | 3.8% | 4.9% | 11.3% |
| Thought they might have a drinking problem | 7.2% | 6.9% | 7.7% | 6.5% | 8.5% |

| | | | | | |
|--|------|------|------|------|------|
| Damaged property, pulled fire alarm, etc. | 3.5% | 3.4% | 3.8% | 1.5% | 6.9% |
| Tried unsuccessfully to cut down on alcohol use | 3.3% | 3.0% | 5.4% | 3.4% | 3.3% |
| Seriously thought about suicide | 2.3% | 2.2% | 3.1% | 2.5% | 2.1% |
| Tried unsuccessfully to stop using alcohol | 2.0% | 1.5% | 5.4% | 2.2% | 1.8% |
| Have taken advantage of another sexually | 1.1% | 1.2% | 0.8% | 0.8% | 1.8% |
| Been taken to detox/hospital | 1.0% | 0.8% | 1.5% | 0.6% | 1.5% |
| Sought help on-campus for a drinking problem | 0.5% | 0.4% | 0.8% | 0.6% | 0.3% |
| Seriously tried to commit suicide | 0.4% | 0.3% | 0.8% | 0.5% | 0.3% |
| Been arrested for DWI/DUI | 0.4% | 0.3% | 0.8% | 0.2% | 0.8% |
| Sought help off-campus for a drinking problem | 0.3% | 0.2% | 0.8% | 0.3% | 0.3% |

Negative consequences of others' alcohol use: (in order of frequency)

| Percent who reported experiencing in the past year "Other people's alcohol use..." | | | | | |
|---|-------|-----------|-------|-------|-------|
| | Total | Caucasian | SOC | CSB | SJU |
| Caused me to take care of a friend or give needed assistance | 52.6% | 53.5% | 49.2% | 57.4% | 51.9% |
| Disrupted my sleep | 47.9% | 45.5% | 48.5% | 52.5% | 40.1% |
| Messed up my living space | 35.8% | 33.4% | 50.0% | 33.7% | 39.5% |
| Didn't interfere with my life | 33.4% | 32.0% | 30.0% | 31.0% | 37.3% |
| Interrupted my studying | 29.3% | 27.1% | 33.8% | 32.7% | 23.4% |
| Prevented me from enjoying events | 23.6% | 22.8% | 22.2% | 26.8% | 18.0% |
| Made me feel unsafe | 17.9% | 15.9% | 25.4% | 22.3% | 10.4% |
| Caused a friend to be traumatized/assaulted | 11.0% | 10.0% | 13.8% | 12.4% | 8.5% |
| Insulted or humiliated me | 9.8% | 8.9% | 13.1% | 9.4% | 10.7% |
| Adversely affected my academic performance | 6.8% | 6.1% | 10.0% | 6.7% | 7.1% |
| Adversely affected my involvement in an athletic team or organization | 6.7% | 6.0% | 10.0% | 5.7% | 8.4% |
| Made me think of transferring to another school | 5.8% | 5.3% | 7.7% | 5.2% | 6.8% |
| Disrupted a class | 2.9% | 2.5% | 4.6% | 3.3% | 2.2% |

Additional negative consequences of others' alcohol use: (events that took place within the last year and alcohol was involved, in order of frequency)

| Event | Percentage of students who experienced event | Approximate number of people who experienced event, based on percentage |
|---------------------------------|--|---|
| Sexual harassment | 5.5% | 57 people |
| Forced sexual touching/fondling | 4.8% | 50 people |
| Threats of physical violence | 3.9% | 41 people |
| Actual physical violence | 3.3% | 34 people |
| Unwanted sexual intercourse | 2.0% | 21 people |
| Ethnic/racial harassment | .5% | 5 people |

Protective strategies: (in order of frequency)

| Behavior | Percent who sometimes, usually or always engage in these behaviors during the past year | CSB | SJU |
|--|--|------------|------------|
| Eat before and/or during drinking | 70.8% | 72.0% | 68.9% |
| Choose not to drink alcohol | 61.8% | 64.4% | 57.4% |
| Use a designated driver | 59.7% | 59.8% | 59.5% |
| Keep track of your drink so no one tampers with it | 62.2% | 69.7% | 49.3% |
| Keep track of how many drinks you are having | 60.7% | 63.4% | 55.9% |
| Determine in advance not to exceed a certain number of drinks | 47.7% | 50.8% | 42.6% |
| Alternate non-alcoholic with alcoholic beverages | 42.3% | 44.6% | 38.3% |
| Pace your drinks to one or fewer per hour | 36.3% | 40.2% | 29.7% |
| Have a friend let you know when you've had enough to drink | 38.8% | 42.4% | 32.5% |
| Avoid drinking games | 34.6% | 37.4% | 29.8% |
| Drink an alcohol look-alike | 21.1% | 26.2% | 12.4% |

Personal Beliefs about Alcohol Use: (in order of frequency)

| Statement | Percent who endorsed |
|--|----------------------|
| I believe alcohol should be consumed in moderation. | 81.8% |
| Alcohol enhances social activity. | 75.9% |
| Alcohol gives people something to do. | 74.2% |
| Alcohol “breaks the ice.” | 73.6% |
| Alcohol gives people something to talk about. | 72.9% |
| Alcohol facilitates a connection with peers. | 66.1% |
| I think about whether I will drink at all when I go out. | 57.0% |
| Alcohol allows people to have more fun. | 54.0% |
| I think about how many drinks I am going to have when I go out. | 50.8% |
| Alcohol facilitates sexual opportunities. | 46.3% |
| I find myself annoyed by people who drink to the point of getting drunk. | 45.4% |
| I believe alcohol allows people to have more fun. | 42.6% |
| I think about my relationship with alcohol. | 37.0% |
| Alcohol makes it easier to deal with stress. | 32.8% |
| I think getting drunk is fun. | 29.1% |
| I believe alcohol is essential to the college social scene. | 27.7% |
| Alcohol makes food taste better. | 19.6% |
| I don’t think about anything but having fun when I go out. | 16.0% |
| I am not a fan of alcohol or those who use alcohol. | 12.8% |
| I only think about getting drunk when I go out. | 5.3% |

Key Findings—the “Stop at Buzzed” Campaign

- 95.5% of students reported being familiar with the campaign.
- A majority (69.9%) of students understood the campaign to be “a student-developed campaign to promote moderate drinking” as opposed to “an alcohol education program” (23.1%) or other options (7.0%).
- There were no significant differences in the average number of drinks consumed per week between those who indicated agreement and those who indicated disagreement with the following statements:
 - “I think about what it means for me to stop at buzzed.”
 - “I think about whether to stop at buzzed when I drink.”
 - “‘Stop at Buzzed’ has influenced my beliefs and attitudes regarding alcohol and drinking.”
 - “‘Stop at Buzzed’ has influenced my thoughts about alcohol and drinking.”
 - “‘Stop at Buzzed’ has influenced my actual drinking habits.”
- For those who indicated that “Stop at Buzzed” had influenced their actual drinking habits, 28.5% reported *increased* alcohol use over the past year versus 18.4%, who reported decreased alcohol use in the past year. 43.0% of those that claimed that the campaign had influenced their actual drinking habits stated that their alcohol use had not changed within the last year.

Reports of opinions regarding the campaign: (in order of frequency)

| Statement | Percent who answered “Yes” | CSB | SJU |
|--|----------------------------|-------|-------|
| I believe the “Stop at Buzzed” campaign should continue on our campuses. | 87.1% | 90.5% | 81.4% |
| “Stop at Buzzed” has influenced my thoughts about alcohol and drinking. | 41.3% | 48.3% | 29.5% |
| I think about what it means for me to stop at buzzed. | 39.3% | 42.9% | 33.8% |
| I typically read e-mail messages that come from “Buzzed.” | 37.7% | 45.9% | 23.3% |
| I think about whether to stop at buzzed when I drink. | 37.2% | 40.0% | 33.3% |
| “Stop at Buzzed” has influenced my beliefs and attitudes regarding alcohol and drinking. | 28.0% | 32.5% | 20.5% |
| “Stop at Buzzed” has influenced my actual drinking behavior. | 18.0% | 20.6% | 13.7% |
| I get annoyed when I see “Stop at Buzzed” messages. | 4.3% | 2.0% | 8.2% |

ILLEGAL DRUG USE

Key Findings – Marijuana, Prescription, & Other Illegal Drugs

Prevalence: Marijuana

| | Annual (reported any use in the last year) | 30 day (reported any use in the last 30 days) |
|-------|--|---|
| CSB | 24.2% | 8.6% |
| SJU | 34.7% | 19.2% |
| Total | 28.1% | 12.5% |

Marijuana Use History

| | Reported using marijuana prior to coming to college | Reported marijuana use for the first time in college |
|-------|---|--|
| CSB | 14.5% | 14.5% |
| SJU | 27.2% | 13.4% |
| Total | 19.1% | 14.1% |

66.3% reported never using marijuana

| Use of marijuana on campus beliefs | About the same as other campuses | Greater than other campuses | Less than other campuses |
|------------------------------------|----------------------------------|-----------------------------|--------------------------|
| CSB | 23.1% | 1.2% | 71.3% |
| SJU | 28.7% | 2.6% | 63.8% |

Prevalence: Prescription Drug Misuse

| | Percent Reporting Never Misusing | CSB | SJU |
|---|----------------------------------|-------|-------|
| Legal prescription medication for purpose other than the reason it was prescribed | 91.0% | 93.7% | 86.4% |
| Prescription drug that was not prescribed for them | 88.4% | 91.5% | 83.2% |
| Prescription drug in a manner or at a dose that was not recommended by a health care provider | 93.2% | 94.9% | 90.3% |

Top Five Reasons for Misusing Prescription Drugs

| Reasons | Percentage of all CSB students |
|------------------------|--------------------------------|
| 1. To relieve pain | 8.0% |
| 2. To be able to focus | 5.1% |
| 3. To enhance studying | 4.5% |
| 4. To relieve anxiety | 3.1% |
| 5. To relax | 2.5% |

| Reasons | Percentage of all SJU students |
|------------------------|--------------------------------|
| 1. To enhance studying | 12.3% |
| 2. To be able to focus | 11.8% |
| 3. To relieve pain | 9.7% |
| 4. To increase energy | 7.2% |
| 5. To relax | 6.2% |

Top Five Ways of Obtaining Misused/Abused Prescription Drugs

| Reasons | Percentage of all CSB students |
|--|--------------------------------|
| 1. From a prescription they had | 6.2% |
| 2. Given for free from a friend | 4.6% |
| 3. Given for free from a relative | 2.8% |
| 4. Bought from a friend | 2.0% |
| 5. Took from a relative without asking | 1.1% |

| Reasons | Percentage of all SJU students |
|-----------------------------------|--------------------------------|
| 1. Given for free from a friend | 11.8% |
| 2. From a prescription they had | 9.7% |
| 3. Bought from a friend | 5.4% |
| 4. Given for free from a relative | 2.1% |
| 5. Bought from a dealer/stranger | 1.5% |

Prevalence: Other Illegal Drugs (e.g., meth, cocaine, LSD, speed, synthetic, club, etc.)

| | 30 day (reported any use in the last 30 days) |
|-------|---|
| CSB | 0.3% |
| SJU | 2.7% |
| Total | 1.2% |

Change in illegal drug use over the past year:

| | Decreased | Stayed the same | Increased | Did not use |
|-------|-------------|-----------------|-------------|-------------|
| CSB | 6.0% | 9.7% | 3.3% | 80.9% |
| SJU | 9.5% | 16.8% | 6.3% | 67.4% |
| Total | 7.3% | 12.3% | 4.4% | |

Campus Environment:

| Statement | Endorse |
|---|-----------------------------------|
| Social atmosphere promotes illegal drug use | |
| At CSB | 10.4% said somewhat or yes |
| At SJU | 19.7% said somewhat or yes |