

## Spring 2019 Alcohol and Drug Survey Executive Summary

**Survey administrators:** Lori Klapperich, M.S., Laura Sherr , Ph.D., & John Adix, Psy.D.

### Methodology:

Survey Type	Population	Response (N)	Rate	Margin of Error	Confidence Level
Web-based					
<b>CSB</b>	1701	515	30.2%	3.6	95%
<b>SJU</b>	1598	344	21.5%	4.7	95%
<b>Total</b>	3299	862	26.1%	2.9	95%

### Demographics:

#### Year in school

First-year	22.9%
Sophomore	26.2%
Junior	19.4%
Senior	26.2%
Other	1.4%

#### Permanent Residence

U.S. Student from Minnesota	76.6%
U.S. Student Out-of-State	29.8%
International	3.1%

#### Ethnic Origin

White	82.7%
Black	3.2%
Hispanic/Latino/a	16.5%
Asian/Pacific Islander	5.2%
American Indian/Alaskan or Hawaiian native	0.6%
Biracial or multiracial	3.5%
Other	2.0%

#### GPA

Less than 2.0	0.8%
2.0-2.49	2.7%
2.5-2.99	11.8%
3.0-3.49	32.0%
3.5-4.0	48.7%
Don't know	0.7%
None (1 <sup>st</sup> semester)	0.1%

#### Current Residence

		Total On-Campus	89.7%
		On-Campus Residence Hall	57.3%
		On-Campus Apartment	30.2%
		On-Campus House	2.2%
		Total Off-Campus	9.8%
		Off-Campus House (Rented)	5.1%
		Off-Campus House (Own)	0.9%
		Off-Campus Apartment	0.9%
		Live with Family	1.7%
		Other	1.2%
<b>Gender</b>			
Female	59.4%		
Male	39.6%		
Transgender Male	0.2%		
Gender Variant	0.2%		
Not listed	0.3%		
<b>Total</b>	99.7%		

#### Sexual Orientation

Heterosexual	90.0%
Gay/Lesbian	2.6%
Bi-sexual	0.3%
Questioning	1.4%
Other	0.8%

## Key Findings – Alcohol

### History of Use

	Reported drinking alcohol prior to coming to college	Reported drinking alcohol for the first time in college
CSB	<b>50.1%</b>	<b>28.0%</b>
SJU	<b>51.7%</b>	<b>25.6%</b>
Total 2019	<b>50.6%</b>	<b>27.1%</b>

### Prevalence:

	Annual (reported any use in the last year)	30 day (reported any use in the last 30 days)
Total	<b>77.2%</b>	<b>74.8%</b>
Caucasian	<b>78.1%</b>	<b>77.0%</b>
SOC (Students of Color)	<b>66.9%</b>	<b>51.1%</b>
CSB	<b>78.4%</b>	<b>74.6%</b>
Caucasian	<b>86.6%</b>	<b>76.6%</b>
SOC	<b>80.5%</b>	<b>60.6%</b>
SJU	<b>75.9%</b>	<b>74.8%</b>
Caucasian	<b>85.7%</b>	<b>77.0%</b>
SOC	<b>73.8%</b>	<b>66.0%</b>
Underage	<b>69.0%</b>	<b>62.6%</b>
Of Age	<b>90.4%</b>	<b>93.4%</b>

### Average (mean) number of drinks per week and average number of days

#### CSB/SJU students report drinking:

CSB/SJU	Average
General avg. per week	<b>4.08</b>
Average number of days drink/week	<b>1.08</b>

For CSB/SJU students who report drinking, they drink an average of 6.09 drinks per week (CSB – 4.86, SJU – 7.83) and 1.64 days per week (CSB - 1.51, SJU – 1.83)

### Frequency of alcohol use in the past year:

Did not use	13.4%
Once per year	4.4%
Six times/year	7.3%
Once per month	7.2%
Twice per month	13.4%
Once per week	30.2%
Three times/week	13.3%
Five times/week	1.4%

### Frequency of alcohol use in the past month:

Usage	Percent
Did not use	25.2%
1-2 days	20.3%
3-5 days	27.2%
6-9 days	20.6%
10-19 days	5.8%
20-29 days	0.8%
30/31 days	0.1%

### Average number of drinks per week:

	Percent
0 drinks	33.1%
1 drink	8.3%
2 drinks	9.1%
3 drinks	7.4%
4 drinks	8.9%
5 drinks	6.6%
6 drinks	4.9%
7-8 drinks	7.1%
9-10 drinks	5.7%
11-13 drinks	3.1%
14-15 drinks	2.7%
20+ drinks	2.7%

*Approximately 58.1% of first-year students do not drink at all during an average week.*

### Average (mean) number of drinks per week for total and selected groups:

	All Students	Caucasian	SOC	CSB	Caucasian	SOC	SJU	Caucasian	SOC
General avg. per week	4.08	4.39	2.47	2.96	3.27	2.53	5.68	6.03	2.62
First-year students	2.34			1.97			2.88		
Sophomores	2.92			2.04			4.18		
Juniors	5.08			3.44			7.57		
Seniors	5.73			4.66			7.70		
Under-age students	2.98			2.26			4.07		
21+ students	5.73			4.62			7.64		
GPA less than 2.0	3.67			2.00			4.50		
GPA 2.0-2.49	2.57			3.73			1.30		
GPA 2.5-2.99	3.84			1.98			5.43		
GPA 3.0-3.49	4.61			3.66			5.97		
GPA 3.5 – 4.0	3.77			3.00			5.17		
Lives on-campus	3.71			2.89			4.98		
Lives off-campus	7.26			5.57			9.50		

### Average drink consumption Thursday-Saturday nights:

# of drinks	Thursday	Friday	Saturday
0 drinks	89.3%	47.6%	36.8%
1-2 drinks	6.1%	19.7%	16.8%
3-4 drinks	2.4%	15.2%	16.6%
5-6 drinks	1.5%	10.1%	15.0%
7 or more drinks	0.6%	7.4%	14.7%

*Approximately 97.8% of first-year students do not drink at all on an average Thursday night.*

### Average number of drinks students reported consuming by night

CSB/SJU Students	Thursday	Friday	Saturday
Mean # of drinks	<b>0.30</b>	<b>2.08</b>	<b>3.03</b>

### Average BAC by night

CSB/SJU Students	Thursday	Friday	Saturday
Average BAC	<b>0.043</b>	<b>0.067</b>	<b>0.086</b>

### Binge drinking (4+ drinks for women, 5+ for men per sitting/occasion) in past two weeks:

	Women (CSB%)	Men (SJU%)
0 Times	53.6%	50.9%
Once	20.4%	13.7%
Twice	13.6%	13.1%
3-5 Times	5.4%	10.5%
6-9 Times	1.2%	1.7%
10+ Times	0.4%	0.9%

Approximately 43.5% of students reported engaging in binge drinking within the past two weeks (41.0% of CSB students and 50.6% of SJU students).

Approximately 46.1% of Caucasian students (44.2% CSB, 47.5% SJU) and 29.3% of Students of Color (34.7% CSB, 19.7% SJU) reported engaging in binge drinking in the last two weeks

### Greatest number of drinks consumed in one sitting during the past two weeks:

Did not drink	<b>30.1%</b>
1-6 drinks	<b>49.3%</b>
7-9 drinks	<b>12.4%</b>
10 or more drinks	<b>7.7%</b>

The average greatest number of drinks consumed in one sitting was 3.72 drinks (3.12 for CSB students and 4.63 for SJU students).

### Students reporting change in alcohol consumption over the past year:

	Decreased	Stayed the same	Increased
CSB	<b>21.6%</b>	<b>33.0%</b>	<b>17.5%</b>
SJU	<b>20.3%</b>	<b>36.0%</b>	<b>16.9%</b>
Total	<b>21.1%</b>	<b>34.1%</b>	<b>17.1%</b>

## Relationship of Alcohol Use to Various Student Status

### Reported First Use of Alcohol

Alcohol Use	CSB Average # of drinks per week	SJU Average # of drinks per week
First used prior to college	<b>4.25</b>	<b>7.07</b>
First used in college	<b>2.74</b>	<b>5.03</b>

## Legacy status and Knowing Other Students Previously

CSB/SJU Legacy Students	Yes	Yes, Avg. # of drinks per week	No, Avg. # of drinks per week
Any member of immediate family attended CSB/SJU	<b>36.2%</b>	<b>CSB – 4.18 SJU – 6.50</b>	<b>CSB – 2.66 SJU – 4.77</b>
Any member of extended family attended CSB/SJU	<b>41.9%</b>	<b>CSB – 3.82 SJU – 6.30</b>	<b>CSB – 2.68 SJU – 4.85</b>
Any member of immediate family attended CSB/SJU while you were in attendance	<b>18.3%</b>	<b>CSB – 3.91 SJU – 6.42</b>	<b>CSB – 2.99 SJU – 5.23</b>
Any member of extended family attended CSB/SJU while you were in attendance	<b>15.6%</b>	<b>CSB – 3.99 SJU – 7.72</b>	<b>CSB – 3.00 SJU – 5.04</b>
Did anyone you know previously attend (from your community, school, etc.) CSB/SJU while you were in attendance?	<b>74.5%</b>	<b>CSB – 3.27 SJU – 5.50</b>	<b>CSB – 2.80 SJU – 5.40</b>

Activity	CSB/SJU
Attended a house party during the last school year	<b>50.8%</b>
Used a fake ID in last year to obtain alcohol	<b>7.9%</b>
Never or rarely drink prior to attending an on-campus, weekend event at which alcohol will not be available	<b>54.0%</b>
Never or rarely drink prior to attending off-campus weekend activities, including going to bars and parties	<b>64.6%</b>

## Reported Fake ID Use to Obtain Alcohol.

Alcohol Use	Never used fake ID to obtain alcohol	Used fake ID in last year
Average number of days drink per week	<b>0.87</b>	<b>1.88</b>
Average number of drinks per week	<b>2.99</b>	<b>8.00</b>

## Reported House Party Attendance

House party attendance since start of academic year	Average # of days drink per week		Avg # of drinks per week	
	CSB	SJU	CSB	SJU
	Never	0.56	0.69	1.42
1-3 times a semester	1.00	1.34	3.02	5.34
1-3 times a month	1.55	1.86	5.21	9.03
Once a week or more	2.17	2.16	10.20	13.06

## Consequences of Alcohol Use

**Negative Consequences of drinking:** (in order of frequency, during the past year)

Have Experienced	CSB/SJU	CSB	SJU
Had a hangover	58.9%	48.9%	59.6%
Got nauseated or vomited	47.8%	47.6%	48.4%
Had to have someone take care of them	31.6%	36.9%	23.9%
Done something they later regretted	30.1%	29.4%	31.3%
Had a memory loss	29.0%	27.9%	31.0%
Been criticized by someone they knew	18.8%	20.3%	17.1%
Performed poorly on a test or important project	15.8%	17.7%	13.1%
Got into an argument or fight	14.4%	14.4%	14.8%
Missed a class	13.0%	12.4%	14.3%
Been in trouble with police, res hall, etc.	9.4%	8.0%	11.7%
Been hurt or injured	8.4%	8.9%	7.6%
Thought they might have a drinking problem	7.6%	6.8%	9.1%
Driven a car while under the influence	4.7%	4.5%	5.3%
Have been taken advantage of sexually	4.6%	5.6%	3.2%
Tried unsuccessfully to cut down on alcohol use	4.6%	5.4%	3.5%
Seriously thought about suicide	4.4%	3.7%	5.6%
Tried unsuccessfully to stop using alcohol	1.7%	1.8%	2.1%
Damaged property, pulled fire alarm, etc.	1.6%	1.6%	1.8%
Have taken advantage of another sexually	0.8%	0.4%	1.5%
Been taken to detox/hospital	0.7%	0.4%	1.2%
Seriously tried to commit suicide	0.5%	0.6%	0.6%
Sought help on-campus for a drinking problem	0.3%	0.2%	0.6%
Been arrested for DWI/DUI	0.1%	0.0%	0.3%
Sought help off-campus for a drinking problem	0.1%	0.2%	0.0%

**Negative Consequences of others' alcohol use:** (in order of frequency)

Percent who answered "yes" to:	CSB/SJU	CSB	SJU
Caused me to take care of a friend or give needed assistance	43.0%	48.9%	34.3%
Disrupted my sleep	37.0%	41.7%	29.9%
Messed up my living space	26.8%	27.4%	26.2%
Didn't interfere with my life	27.5%	25.6%	30.2%
Interrupted my studying	21.6%	25.0%	16.3%
Prevented me from enjoying events	18.2%	21.6%	13.4%
Made me feel unsafe	16.9%	20.8%	11.3%
Caused a friend to be traumatized/assaulted	13.6%	16.3%	9.3%
Insulted or humiliated me	7.2%	7.6%	6.7%
Adversely affected my academic performance	4.9%	6.4%	2.6%
Adversely affected my involvement in an athletic team or organization	5.4%	5.4%	5.5%
Made me think of transferring to another school	6.0%	6.4%	5.5%
Disrupted a class	2.0%	2.3%	1.5%

**Additional negative consequences of others' alcohol use:** (events that took place within the last year and alcohol was involved, in order of frequency)

Event	Percentage of students who experienced event	Approximate number of people who experienced event, based on percentage
Sexual harassment	4.5%	34 people (29 CSB students)
Forced sexual touching/fondling	4.5%	34 people (30 CSB students)
Threats of physical violence	2.8%	21 people (10 CSB students)
Actual physical violence	2.1%	14 people (7 CSB students)
Unwanted sexual intercourse	1.3%	10 people (7 CSB students)
Ethnic/racial harassment	0.4%	3 people (1 CSB student)
Theft involving force or threat	0.4%	3 people (1 CSB student)

## Lowering Risk

**Protective strategies:** (in order of frequency)

Behavior	Engage in behaviors during the past year (Sometimes, usually or always)	CSB	SJU
Eat before and/or during drinking	65.8%	68.1%	62.7%
Keep track of your drink so no one tampers with it	56.4%	65.1%	44.2%
Use a designated driver	53.0%	55.7%	49.7%
Keep track of how many drinks you are having	52.6%	56.1%	47.6%
Choose not to drink alcohol	49.0%	53.6%	42.2%
Alternate non-alcoholic with alcoholic beverages	44.2%	48.2%	38.3%



Determine in advance not to exceed a certain number of drinks	43.1%	49.3%	34.0%
Pace your drinks to one or fewer per hour	33.1%	38.9%	25.0%
Have a friend let you know when you've had enough to drink	33.0%	37.1%	27.3%
Avoid drinking games	26.4%	29.0%	22.9%
Drink an alcohol look-alike	16.0%	19.0%	11.6%

## Attitudes/Beliefs/Perceptions

**Personal Beliefs about Alcohol Use:** (in order of frequency)

Statement	Percent who endorsed	CSB	SJU
I believe alcohol should be consumed in moderation.	72.5%	75.3%	68.9%
Alcohol enhances social activity.	69.8%	70.7%	68.9%
Alcohol "breaks the ice."	64.8%	64.7%	65.4%
Alcohol gives people something to do.	64.2%	64.1%	64.8%
Alcohol gives people something to talk about.	59.4%	59.6%	59.6%
Alcohol facilitates a connection with peers.	58.3%	59.0%	57.6%
Alcohol allows people to have more fun.	54.9%	53.6%	57.3%
I think about whether I will drink at all when I go out.	49.5%	54.6%	42.4%
I think about how many drinks I am going to have when I go out.	48.2%	52.0%	42.7%
I believe alcohol allows people to have more fun.	42.9%	41.4%	45.3%
I think about my relationship with alcohol.	36.3%	35.9%	36.9%
I find myself annoyed by people who drink to the point of getting drunk.	35.5%	38.3%	31.7%
Alcohol makes it easier to deal with stress.	34.5%	32.0%	38.4%
Alcohol facilitates sexual opportunities.	32.7%	32.8%	32.8%
I think getting drunk is fun.	30.8%	28.7%	34.0%
I believe alcohol is essential to the college social scene.	22.2%	15.7%	32.3%
Alcohol makes food taste better.	22.0%	20.2%	25.0%
I don't think about anything but having fun when I go out.	16.8%	15.0%	19.8%
I am not a fan of alcohol or those who use alcohol.	9.0%	9.7%	8.1%
I only think about getting drunk when I go out.	6.1%	5.4%	7.3%

## Perceptions of Campus Environment:

Statement	Percentage of students who endorsed		
	CSB	SJU	
Alcohol is a central part of the social life of:			
SJU students	72.7%	75.1%	69.5%
CSB students	62.5%	65.6%	58.1%
Male athletes	58.3%	57.5%	59.9%
Female athletes	45.9%	45.4%	46.8%
Students on study abroad programs	60.1%	62.1%	57.6%
Alumni	36.2%	33.4%	40.7%
Social atmosphere promotes alcohol use			
At CSB	58.2% indicated somewhat or yes		
At SJU	65.6% indicated somewhat or yes		
CSB/SJU provides enough on-campus social activities on weekend nights	55.5% indicated agree or strongly agree		
	CSB – 58.7%		
	SJU – 51.1%		
Students' alcohol use is problematic when riding the Link on weekend nights	27.2% indicated agree or strongly agree		
	CSB – 30.9%		
	SJU – 21.8%		
If substance-free living arrangements were offered, would you choose to live there?	19.1% indicated yes		
	CSB - 20.8%		
	SJU – 16.9%		

Beliefs about alcohol use on-campus	About the same as other campuses	Greater than other campuses	Less than other campuses
CSB campus	47.5%	3.9%	35.9%
SJU campus	53.0%	8.5%	25.8%

## Perception of Other Students

	Perception	Reality
	<b>“Average” CSB student (as estimated by students)</b>	<b>Actual average CSB student (as averaged from actual responses)</b>
<b>Drinking frequency</b>	2.08 days/week*	0.97 days/week*
<b>Amount of drinking</b>	5.38 drinks/week*	3.15 drinks/week*
	<b>“Average” SJU student (as estimated by students)</b>	<b>Actual average SJU student (as averaged from actual responses)</b>
<b>Drinking frequency</b>	2.83 days/week*	1.24 days/week*
<b>Amount of drinking</b>	8.18 drinks/week*	5.47 drinks/week*

\*The averages for the perception column of # days/week alcohol was consumed may be off due to a clear misunderstanding of the question by many respondents and subsequent elimination of those responses.

To what extent do YOU agree or disagree with the following situations	CSB/SJU students who agree or strongly agree	CSB/SJU students who think OTHER CSBSJU students agree or strongly agree
Drinking is never a good thing to do.	9.3%	6.5%
Drinking is all right, but a student should never get drunk.	21.7%	13.3%
Drinking is all right as long as a student isn't underage.	32.7%	20.8%
Drinking is all right as long as a student doesn't drink and drive.	91.8%	89.7%
Pre-gaming is just a normal part of a drinking occasion.	55.5%	72.6%
An occasional "drunk" is OK as long as it DOES NOT interfere with academics or other responsibilities.	72.4%	75.5%
An occasional "drunk" is OK even if it DOES interfere with academics or other responsibilities.	10.1%	34.7%
A regular "drunk" is OK as long as it DOES NOT harm anyone.	38.2%	60.3%
A frequent "drunk" is OK if that's what the student wants to do.	25.1%	51.5%

All of the comparisons in this table were found to have a statistically significant difference ( $p < .05$ ), a difference unlikely due to chance.

## ILLEGAL DRUG USE

### Key Findings – Marijuana, Prescription, & Other Illegal Drugs

#### Marijuana Use History

	Reported using marijuana prior to coming to college	Reported marijuana use for the first time in college
CSB	24.5%	17.1%
SJU	24.4%	16.6%
<b>Total</b>	<b>24.4%</b>	<b>16.9%</b>

49.4% reported never using marijuana

#### Prevalence: Marijuana

	Annual (reported any use in the last year)	30 day (reported any use in the last 30 days) 2019
CSB	36.4%	16.4%
SJU	36.3%	23.8%
<b>Total</b>	<b>36.4%</b>	<b>19.3%</b>

Form of Use (if used)	Percent who used
Smoking	35.5%
Vaping	17.7%
Oral ingestion	16.8%
Dabbing	13.4%
Gravity bong	9.5%
Marijuana tinctures	0.8%
Topical methods	0.6%
Sprays	0.3%

Method of Use (if used)	Percent who used
Traditional leaves	33.4%
Wax	14.9%
Powdered leaves	8.6%
Hashish	3.5%
Honey butane oil	3.5%
Tea or juice	2.3%
Shatter	2.2%
Tincture	0.8%

## Student Beliefs and Perception of Other Students Beliefs

Statement	Students Believe (Agree or Strongly Agree)	Students think Other Students Believe (Agree or Strongly Agree)
<i>Marijuana is NEVER a good thing to do.</i>	26.9%	12.9%
<i>Trying Marijuana once or twice is OK.</i>	60.5%	71.8%
<i>Using Marijuana is safer than using alcohol.</i>	45.1%	55.5%
<i>Getting high regularly is OK as long as it DOES NOT harm anyone.</i>	37.4%	59.2%
<i>Using marijuana is OK for medicinal purposes.</i>	73.4%	74.6%
<i>Using marijuana is a normal part of the CSB/SJU college experience.</i>	17.9%	33.8%

Beliefs about marijuana use on-campus	About the same as other campuses	Greater than other campuses	Less than other campuses
CSB campus	31.2%	1.5%	54.6%
SJU campus	38.4%	4.2%	44.5%

## Campus Climate

Statement	Endorse
Social atmosphere promotes marijuana use At CSB At SJU	23.1% said somewhat or yes 36.0% said somewhat or yes

## Prevalence: Prescription Drug Misuse

	Report Never Misusing	CSB	SJU
Legal prescription medication for purpose other than the reason it was prescribed	83.3%	85.4%	80.5%
Prescription drug that was not prescribed for them	82.0%	83.5%	80.2%
Prescription drug in a manner or at a dose that was not recommended by a health care provider	85.1%	86.4%	83.4%

## Types of medication(s) used

Type of medication	Used
Stimulants (Ritalin, Adderall, Focalin)	<b>7.9%</b>
Pain medication (codeine, Vicodin, OxyContin, Hydrocodon)	<b>4.2%</b>
Sedatives/Tranquilizers (Valium, Xanax, Ativan, Klonop)	<b>2.2%</b>
SSRI's (Celexa, Lexapro, Luvox, Paxil, Prozac, Zolof)	<b>0.8%</b>
Not sure	<b>0.7%</b>

\*70.7% reported no or never to all

## Top Five Reasons for Misusing Prescription Drugs

### CSB

Reasons	Percentage of all CSB students
1. To relieve pain	5.2%
2. To be able to focus	6.6%
3. To enhance studying	6.0%
4. To cope with stress	4.1%
5. To increase energy	3.9%

### SJU

Reasons	Percentage of all SJU students
1. To enhance studying	8.4%
2. To be able to focus	7.6%
3. To relieve pain	4.9%
4. To increase energy	4.7%
5. To relieve anxiety	4.7%

## Top Five Ways of Obtaining Misused/Abused Prescription Drugs

### CSB

Reasons	Percentage of all CSB students
1. Given for free from a friend	5.4%
2. From a prescription they had	4.9%
3. Bought from a friend	3.7%
4. Bought from a drug dealer/stranger	1.7%
5. Given for free from a relative	1.6%

### SJU

Reasons	Percentage of all SJU students
1. Given for free from a friend	7.6%
2. Bought from a friend	5.2%
3. From a prescription they had	4.7%
4. Bought from a dealer/stranger	1.7%
5. Given for free from a relative	0.6%
5. Took from a relative without asking	0.6%

### Prevalence: Other Illegal Drugs (e.g., meth, cocaine, LSD, speed, synthetic, club, etc.)

30 day (reported any use in the last 30 days)	
CSB	1.4%
SJU	1.5%
Total	1.4%

### Change in illegal drug use over the past year:

	Decreased	Stayed the same	Increased	Did not use
CSB	0.6%	3.7%	1.6%	82.9%
SJU	1.2%	5.8%	0.3%	79.1%
Total	0.8%	4.6%	1.0%	81.0%

### Campus Environment:

Statement	Endorse
Social atmosphere promotes illegal drug use	
At CSB	5.2% said somewhat or yes
At SJU	7.9% said somewhat or yes

## Key Findings—the “Stop at Buzzed” Campaign

- 80.2% of students reported being familiar with the campaign.
- A majority (52.3%) of students understood the campaign to be “a student-developed campaign to promote moderate drinking” as opposed to “an alcohol education program” (28.2%) or other options (5.3%).
- For those who indicated that “Stop at Buzzed” had influenced their actual drinking habits, 26.5% reported *increased* alcohol use over the past year versus 27.0%, who reported decreased alcohol use in the past year. 37.0% of those that claimed that the campaign had influenced their actual drinking habits stated that their alcohol use had not changed within the last year.

### Reports of opinions regarding the campaign: (in order of frequency)

Statement	Percent who answered “Yes”	CSB	SJU
I believe the “Stop at Buzzed” campaign should continue on our campuses.	66.9%	71.5%	60.8%
“Stop at Buzzed” has influenced my thoughts about alcohol and drinking.	37.9%	41.6%	32.6%
I think about what it means for me to stop at buzzed.	36.5%	38.4%	33.7%
I think about whether to stop at buzzed when I drink.	32.3%	35.3%	27.9%
“Stop at Buzzed” has influenced my beliefs and attitudes regarding alcohol and drinking.	30.5%	33.8%	25.6%
I typically read e-mail messages that come from “Buzzed.”	28.7%	31.7%	24.4%
“Stop at Buzzed” has influenced my actual drinking behavior.	23.2%	25.0%	20.3%
I get annoyed when I see “Stop at Buzzed” messages.	3.8%	2.7%	5.5%